

Rodents enter the boxes
eat the poison
and then **LEAVE!**



They **DO NOT** stay in the
boxes, take several days to
die, and make easy prey.

Use a rodent **EXCLUSION COMPANY**
instead of an exterminator




If trapping is necessary,
use humane live traps
indoors. Never place
traps outdoors.

NO GLUE TRAPS

They are cruel, inhumane, and catch
other wildlife

SECONDARY POISONING!

Poison is Passed
Up the Food Chain



California communities taking action

Cities and counties across California have
adopted resolutions opposing rodent poisons.
Locally – Malibu, Agoura Hills, Calabasas,
Thousand Oaks, Ojai, Simi Valley, and others.

Learn more and contact us

PoisonFreeMalibu.org

PoisonFreeMalibu@gmail.com

Facebook: Poison Free Malibu



Poison Free Malibu



No Poison is Safe

Repel
Exclude
Deter

PREVENT ATTRACTION

Clean up Seal up

Poison does not correct the conditions that attract rodents. When food, water and shelter remain available, rodents return.



Sanitation policy works

- Keep dumpster lids closed and locked
- Do not overfill; clean spills and secure trash
- Bring pet food and birdseed indoors at night
- Remove debris and dense ground cover near buildings
- Block openings before rodents can enter

Choose prevention instead of bait boxes

Prevention addresses the cause of the issue instead of creating a cycle of poisoning.

UNDERSTAND THE RISK

Rodent poisons harm more than rodents



Commonly used poisons

Bromethalin
Cholecalciferol (Vitamin D₃)
Strychnine
Zinc phosphide

There are NO antidotes for these poisons

Bromethalin and cholecalciferol can cause rapid, irreversible harm to pets and wildlife.

10 of 16 mountain lions tested positive for bromethalin

– From National Park Service testing in the Santa Monica Mountains from July 2020 through August 2022.

SAVE WILDLIFE

Prevention protects wildlife



Healthy mountain lion P-34



Found dead nine months later with five rodent poisons detected

Put up owl boxes and raptor poles
Barn owls eat thousands of rodents a year

